

---

# **Sugar Professional 8.0.7 Release Notes**

---

<b>Sugar Professional 8.0.7 Release Notes</b>	3
Overview	3
Administrator and End User	3
Known Issues	5
Supported Platforms	11
Upgrade Paths	11

---

# Sugar Professional 8.0.7 Release Notes

## Overview

This document describes the changes and functionality available in Sugar Professional 8.0.7. Sugar 8.0.7 is only available for customers on the annual upgrade path. For customers upgrading from 7.9.5.0, please refer to the other [Sugar 8.0.x release notes](#) for additional features, fixed issues, and developer changes occurring between versions 7.9.5.0 and 8.0.7.

## Administrator and End User

### Fixed Issues

Sugar 8.0.7 is a security update released to address certain security vulnerabilities identified during our routine QA checks.

**We strongly recommend that you install this update at the earliest opportunity.** While we have not experienced any reported incidents relating to these vulnerabilities to date, failure to install this update could leave you exposed to malicious third-party attacks. For more information regarding this, please refer to the following Security Advisory announcements:

- [Security Advisory sugarcrm-sa-2020-025](#): Authenticated administrative users may cause arbitrary code to be executed.
- [Security Advisory sugarcrm-sa-2020-026](#): Authenticated users may cause arbitrary code to be executed.
- [Security Advisory sugarcrm-sa-2020-027](#): Any users may cause arbitrary code to be executed.
- [Security Advisory sugarcrm-sa-2020-028](#): Authenticated users may cause arbitrary code to be executed.
- [Security Advisory sugarcrm-sa-2020-029](#): Authenticated users may cause arbitrary code to be executed.
- [Security Advisory sugarcrm-sa-2020-030](#): Authenticated administrative users may cause arbitrary code to be executed.
- [Security Advisory sugarcrm-sa-2020-031](#): Authenticated users may cause arbitrary code to be executed.
- [Security Advisory sugarcrm-sa-2020-032](#): Authenticated administrative users may cause arbitrary code to be executed.
- [Security Advisory sugarcrm-sa-2020-033](#): Authenticated users may cause arbitrary code to be executed.
- [Security Advisory sugarcrm-sa-2020-034](#): Authenticated administrative users may cause arbitrary code to be executed.

- 
- [Security Advisory sugarcrm-sa-2020-035](#) : Authenticated administrative users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-036](#) : Authenticated administrative users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-037](#) : Authenticated administrative users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-038](#) : Authenticated users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-039](#) : Authenticated administrative users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-040](#) : Authenticated administrative users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-041](#) : Authenticated administrative users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-042](#) : Authenticated users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-043](#) : Any users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-044](#) : Authenticated users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-045](#) : Authenticated users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-046](#) : Authenticated users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-047](#) : Authenticated administrative users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-048](#) : Authenticated administrative users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-049](#) : Authenticated users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-050](#) : Authenticated administrative users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-051](#) : Authenticated users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-052](#) : Any users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-053](#) : Authenticated users may cause arbitrary code to be executed.
  - [Security Advisory sugarcrm-sa-2020-054](#) : Authenticated users may cause arbitrary code to be executed.

These vulnerabilities have been addressed in release 8.0.7 which is available for download from the [Download Manager](#).

**Administrators are strongly encouraged to upgrade their Sugar instances running 8.0.6 and prior to version 8.0.7 to prevent potential exploitation of**

---

these weaknesses.

## Known Issues

The following known issues are present in this release. [Case Portal users](#) can use the following links for more details about each issue:

- [82914](#) : Running reports in instances with a large number of team sets may fail to generate for non-admin users and result in performance issues.
- [82693](#) : In certain circumstances, importing contacts mapped to accounts may fail to complete properly if an error is detected. As a workaround, import the new accounts first before importing the contacts mapped to the accounts.
- [82589](#) : Setting the default date format in the admin's profile to "mm/dd/yyyy" may cause the time periods on the Forecasts Settings page to incorrectly display "Invalid date".
- [82559](#) : Certain customizations in Sugar may cause the upgrade to fail.
- [82468](#) : Custom decimal fields may prevent upgrades from completing and result in invalid alter queries being generated. As a workaround, use the queries described in the defect's description on the bug portal to convert the decimal fields.
- [82454](#) : Entering duplicate email addresses with different capitalizations (e.g. test@here.com, Test@here.com) into a record (e.g. Contacts) may result in adverse behaviors.
- [82254](#) : Emails may fail to send as expected if it uses an email template containing an attachment that is already attached to an existing note record. As a workaround, add the code described in the defect's description or delete the existing email template and create a new one with a fresh upload of the file attachment.
- [81999](#) : Users may be unexpectedly logged out when requests with out-of-date user\_hash data are sent to the server in close succession.
- [81908](#) : Multiple edits to a record may cause redundant elastic search reindexes resulting in performance degradation.
- [81877](#) : Full-text search re-indexes performed from the command line may run out of memory when run on very large data sets.
- [81722](#) : Sorting the fields by the column header (e.g. Name) in Admin > Studio or Module Builder may result in CSRF errors being written to the log file.
- [80834](#) : Line charts may not render correctly when viewing report records in the Chrome browser.
- [80829](#) : Date and datetime fields do not respect the user's preferred format when included on PDFs.
- [80785](#) : Global search results may not display as expected on Microsoft Edge and Internet Explorer browsers. As a workaround, use Chrome or Firefox to access Sugar when possible.

- 
- [80730](#) : Reports without charts are improperly available to select in the Saved Reports Chart dashlet.
  - [80681](#): Making changes to a report's relationship-based filters may result in an error when running the report. As a workaround, re-create the report with the desired filter without making any changes to it.
  - [80605](#) : Integrations and customizations using the REST v4.1 API may no longer work as expected for instances running on PHP 7.1.
  - [80583](#) : Attempting to erase fields (e.g. Description) marked as "Personal Information" from the Opportunities module do not work as expected and result in a 500 error.
  - [80430](#) : SugarCloud sessions may time out with a 500 error due to a database issue.
  - [80376](#): Uninstalling custom modules from Sugar may not delete the associated workflows as expected. As a workaround, remove the affected workflow via the database.
  - [80091](#) : Creating a dashboard may not work as expected and result in an error for users without private teams. Navigating to Admin > Repair and running "Repair Teams" will help resolve the issue.
  - [80083](#), [79251](#) : In certain circumstances, performing a list view search may not return correct results as expected.
  - [80002](#) : Generating PDFs using previously existing PDF templates may not display data as expected after upgrading to Sugar versions 7.9 or higher.
  - [79947](#) : Calculated fields may not populate when the record has multiple calculated fields using the related() function to the same module (e.g. related(\$accounts, field1) and related(\$accounts, field2)).
  - [79925](#) : Email messages that have been archived to Sugar and contain embedded or inline images show empty containers instead of images in the email's record view and preview.
  - [79777](#) : The billing address and shipping address for quotes created via the "Quotes (Bill To)" or "Quotes (Ship To)" subpanel may appear incorrectly if the related record's (e.g. Accounts) billing and shipping address is different.
  - [79763](#) : The Account Name field does not get populated as expected for quoted line items related to a quote.
  - [79715](#): The Follow button does not appear in the Contracts record view as expected.
  - [79712](#) : The "Sign" and "Get latest" links do not appear as expected in the Documents subpanel of the Contracts module.
  - [79704](#): When logged into Sugar with certain languages (e.g. Russian), the list view's Record Actions menu may not appear as expected for some modules (e.g. Dashboards).
  - [79698](#) : When merging records, fields that are required under certain conditions are required even if the conditions have not been met.
  - [79686](#) : The List Order field in the Contract Types, Manufacturers, Tax Rates, and Shipping Providers modules does not control the order in which the options are listed in the corresponding fields (Type Name,

---

Manufacturer Name, Shipping Provider, Tax Rate) for the Contracts, Quotes, and Product Catalog modules.

- [79643](#) : Inbound emails containing emojis may not get imported into Sugar as expected.
- [79640](#) : The Home (Sugar cube) icon shifts position in the navigation bar when "Allow users to select modules to appear in the navigation bar" is enabled.
- [79510](#) : Email addresses are not shown on the import summary screen even though they were properly imported.
- [79492](#) : Setting the log level to "Error" may result in multiple relationship errors being written to the log file.
- [79469](#) : When a web-to-lead form is created without including a redirect URL, the visitor may improperly get directed to an error page upon submitting the form.
- [79458](#) : Subpanels for related legacy modules may not display for the Quotes record view as expected.
- [79344](#) : The quoted line item total may not respect the user's preferred currency as expected.
- [79173](#) : When attempting to navigate away from the module or save the record, the Unsaved changes warning message may unexpectedly appear for modules containing custom dependent fields.
- [79166](#) : Session locking may cause performance issues in Sugar.
- [79131](#) : When the "Listview items per page" setting in Admin > System Settings contains a large value (e.g. 50 or greater), it may cause an issue with rendering the "Download PDF" and "Email PDF" options in the record view's actions menu. Changing the "Listview items per page" setting to "20" may help resolve the issue.
- [79108](#) : When editing a record via the list view preview on the intelligence pane, the Resolve Conflict drawer may appear unexpectedly upon save.
- [78890](#) : Updating composer in instances with custom modules deployed from module builder may cause unexpected errors.
- [78850](#) : The Saved Reports Chart dashlet may not render the chart as expected for certain reports when the Bar chart value placement field is set to an option other than "None" or "Total". Selecting "None" or "Total" for the Bar chart value placement field will render the charts properly in the dashlet.
- [78736](#) : Out-of-the-box dashboards may incorrectly be recreated after deleting it from the home page or intelligence pane.
- [78719](#) : Users may encounter an unexpected behavior when accessing Sugar if the Date Modified field in the user account contains the same value as another user.
- [78709](#) : Users assigned a role with Delete, Edit, or Export permission set to "Owner" may improperly be restricted from downloading and emailing PDFs.
- [78668](#) : In certain circumstances, the tooltip (e.g. Create) may continue to persist improperly while navigating through Sugar. Reloading the web



---

browser will clear the tooltip from the screen.

- [78667](#): Attempting to scroll in Sidecar modules (e.g. Meetings) may not work as expected when logged into Sugar on iPad.
- [78600](#) : Special characters are improperly allowed to be entered in dropdown lists' item names.
- [78580](#) : Saving a record without completing the Salutation field which is marked as required in Admin > Studio may result in unexpected behavior.
- [78570](#), [78509](#), [78507](#), [76151](#) : When accessing Sugar using Internet Explorer or Firefox, attempting to clear a saved filter from the list view or subpanel search may not work as expected. As a workaround, select the All "Module Name" option from the Filter options list to clear the applied filter.
- [78527](#) : Inline editing a TextArea field via the subpanel may not work as expected. Reloading the web browser will resolve the issue and allow the user to inline edit the field properly.
- [78487](#) : When renaming modules via Admin > Rename Modules, only the most recent changes will remain and any previous updates to module names will be incorrectly removed after save.
- [78471](#) : Setting the default date format in the user's profile to "mm/dd/yyyy" may cause the time periods on the Forecasts Settings page to incorrectly display "Invalid date".
- [78334](#) : Performing certain actions in records containing calculated fields with rollup functions (e.g. rollupSum) and a large number of related records may cause performance issues in Sugar.
- [78229](#) : Downloading the import file template may take longer than expected for module's containing a large number of records.
- [78128](#) : For dropdown list values, a value's Display Label will improperly revert to a blank value if its Item Name is 0 (zero).
- [78065](#) : Moving a stock field between the columns (e.g. Hidden, Available) for the List View and Subpanel layouts in Studio may result in unexpected behavior.
- [77820](#) : The Visibility Editor window may not load as expected and display an error if there is a large number of dropdown dependencies defined in the visibility editor.
- [77780](#) : Instances using MS SQL may see unexpected behavior due to a lack of ORDER BY clause in the list view query.
- [77738](#) : Attempting to merge two records (e.g. accounts) may fail with an error if the record that is being merged to the primary record contains a large number of related records (e.g. contacts).
- [77609](#) : Generating reports with empty relate fields may not include the associated record in the report result as expected if the related record has been deleted.
- [77302](#) : Upgrades may fail due to queries posted by the upgrade exceeding the max\_allowed\_packet database setting.
- [77287](#) : Performing certain actions (e.g. import, mass update) in Sugar may result in performance issues if there are numerous calculated fields to be updated in related records. As a workaround, add the following line to the



---

config\_override.php file to disable the related calculation field updates: `$sugar_config['disable_related_calc_fields'] = true;`. But keep in mind that the affected calculated values will not be updated and running Recalculate Values on related records.

- [77249](#) : Guests may not get imported to call or meeting records as expected.
- [77087](#) : When a record is assigned to the user's default private team, changing the Teams field from the private team to another team (e.g. Global) may incorrectly display the team name with the user's last name appended to the end (e.g. Global Smith).
- [77055](#) : Attempting to mass update the user's outbound email client via Admin > User Management may not work as expected.
- [76401](#) : The data in the report chart may be inconsistent between the report chart dashlet and the Reports module.
- [76000,75999](#) : Setting the Collation option to "utf8mb4\_general\_ci" via Admin > Locale may cause unexpected errors.
- 
- [75254](#) : Printing reports (e.g. Summation With Details report) to PDF may not work as expected when logged into Sugar via a mobile browser.
- [74919](#) : Performing certain actions (e.g. Quick Repair and Rebuild) in Sugar that rebuild the cache files may cause unexpected issues in the system if there are multiple users logged in and utilizing Sugar. As a workaround, perform such actions during off-hours where users are not utilizing the system.
- [74628](#) : Certain workflows using a Relate-type field in the condition may fail to load as expected and result in errors after upgrading to 7.6.x.x. As a workaround, run the following query in the instance's expressions table:

```
UPDATE expressions
SET     exp_type = "id"
WHERE   exp_type = "relate"
        AND lhs_field = "assigned_user_id"
```

- [74539](#) : Custom fields may not display as expected when previewing call and meeting records via the intelligence pane.
- [74416](#) : Creating a Summation-type report that is grouped and sorted by a certain field (e.g. Month: Expected Close Date, Quarter: Expected Close Date) in a related module (e.g. Opportunities) may cause the run-time filter to not work as expected.
- [74382](#) : The Case Summary dashlet may not work as expected and cause an internal server error if the account record has a large number of related cases.
- [74350](#) : An unexpected error may occur when saving a record if there is an issue with the user's default team in the database. As a workaround, run the following query in the instance's team sets table. The affected users

---

will then need to edit their profile to configure their default teams again.

```
UPDATE team_sets
SET     deleted = 1
WHERE   id NOT IN ("select team_set_id from team_sets_teams where
    deleted = 0")
        AND deleted = 0
```

- [73912](#) : Certain reports may not generate as expected if the last group-by field is a date (e.g. Opportunities > Month: Expected Close Date) and the chart type is set (e.g. Horizontal Bar). As a workaround, do not use the date field as the last grouping in the Define Group By step or change the chart type to "None".
- [73689](#): When users adjust the list view or subpanel column widths, the user's preferred column size may not be preserved if the browser window is resized.
- [73566](#) : Calculated or dependent fields containing a related() function may not get calculated until after save for activity-type modules (e.g. Notes).
- [73468](#) : Time-elapse workflow may not trigger as expected when a date field (e.g. Expected Close Date) in the condition is set to a date in the future.
- [72810](#) : Filtering the list view search using custom checkbox fields may not work as expected.
- [72625](#), [71848](#) : When a large number (e.g. 60) of PDF templates are available in a module, users may not be able to scroll through the full list of templates via the "Download PDF" or "Email PDF" options in the record view. As a workaround, changing the screen resolution or reducing the number of templates may help resolve the issue.
- [72581](#) : Attempting to merge records in modules containing required dependent fields may not work as expected.
- [71950](#) : Adding TinyMCE to a TextArea-type field (e.g. Description) may cause the field to not display properly in record view when accessing Sugar via certain browsers (e.g. Firefox).
- [71733](#) : Printing archived emails via the browser's print option may not display correctly.
- [70940](#) : Attempting to disable the SAML authentication via Admin > Password Management may not work as expected if the authenticationClass property in config.php has been set to SAMLAuthenticate.
- [69957](#) : Large number of activity stream records may cause performance issues.
- [68985](#) : Custom relationships created between a module and the Activities module via Admin > Studio cannot be deleted as expected.
- [68975](#) : Changing the order of subpanels via Admin > Display Modules and Subpanels does not preserve the order upon save.

- 
- [68461](#) : Searching by non-primary email addresses in the module's list view (e.g. Accounts) does not pull up results as expected.
  - [68112](#) : Matrix-type reports display incorrectly when exported to PDF.

## Supported Platforms

For information on supported platform components, see [Sugar 8.0.x Supported Platforms](#).

## Upgrade Paths

Package	From Version(s)	MySQL	SQLServer
New Installs		<input type="checkbox"/>	<input type="checkbox"/>
7.9.5.0-to-8.0.7	7.9.5.0	<input type="checkbox"/>	<input type="checkbox"/>
8.0.x-to-8.0.7	8.0.0 - 8.0.6	<input type="checkbox"/>	<input type="checkbox"/>

**Last Modified:** 2020-09-24 13:57:33